Attorney's Docket No. 1022702-000282 Application No. 10/536,941

Page 2

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the

application:

LISTING OF CLAIMS:

1-14. (Canceled)

15. (Currently Amended) A composition comprising at least one polyamide

matrix and a dispersed phase composed of at least one impact modifier, said

dispersed phase containing at least one electrically conductive filler in an amount

sufficient to provide the composition with a level of conductivity suitable for painting

by an electrostatic technique.

16. (Previously Presented) The composition as claimed in claim 15.

comprising from 0.1 to 40% by weight of electrically conductive fillers relative to the

total weight of the composition.

17. (Previously Presented) The composition as claimed in claim 15,

comprising from 0.1 to 70% by weight of impact modifiers relative to the total weight

of the composition.

Attorney's Docket No. 1022702-000282

Application No. 10/536,941 Page 3

18. (Previously Presented) The composition as claimed in claim 15,

wherein the electrically conductive fillers are: carbon black, a metal, an antistatic

agent, graphite, glass or a mineral filler coated with a metal layer.

19. (Previously Presented) The composition as claimed in claim 15,

wherein the electrically conductive fillers carbon black; carbon fibers; carbon

spheres, carbon microspheres; carbon nanotubes; steel spheres, steel

microspheres, steel fibers, aluminum spheres, aluminum microspheres, aluminum

fibers or polyetheramides.

20 (Previously Presented) The composition as claimed in claim 15.

wherein the impact modifier is an elastomer.

21. (Previously Presented) The composition as claimed in claim 15,

wherein the impact modifier is: ethylene-propylene copolymer (EP), ethylene-

propylene-diene terpolymer (EPDM), styrene/maleic anhydride copolymers (SMA),

ultra-low-density polyethylene (ULDPE), linear low-density polyethylene (LLDPE),

styrene/ethylene-butadiene/styrene copolymer (SEBS), polypropylene (PP), acrylic

elastomers (such as polyacrylic elastomers), ionomer elastomers, acrylonitrile-

butadiene-styrene terpolymer (ABS) or acrylic-styrene-acrylonitrile terpolymer (ASA).

Page 4

22. (Previously Presented) The composition as claimed in claim 15,

wherein the polyamide matrix is composed of at least one polyamide chosen from

polyamides: 6; 6,6; 4,6; 6,10; 6,12; 11 and/or 12; or blends thereof;

copolyamides: 6/6,6; 6/6,9; 6/6,10; 6/6,18 and/or 6/6,36; or blends thereof;

and/or

blends of polyamides: 6 and 6,6; 6 and 6/6,18; 6 and 6/6,36; 6 and 6/6,10; or

blends thereof.

23. (Currently Amended) A process for producing a the composition as

defined in claim 15, comprising the steps of:

a) blending at least one impact modifier with at least one electrically

conductive filler, so as to obtain a masterbatch; and

b) blending the masterbatch obtained in step a) with at least one polyamide

matrix.

24. - 26. (Canceled)